

Essential Guide to

Post-Surgical Scar Recovery

Silicone Scar Sheet | Silicone Scar Gel

Before & After Pictures



Burn scar

Silicone Scar Gel




1 Month after being burned by boiled water

Began using Scar Gel

After 2 months of treatment

Atrophic acne scars

Silicone Scar Gel




Icepick acne scar (Deeper than it's wide, narrow, pitted scar)



Just 3 weeks after using DG. Derm® Scar Gel

Burn scar

DG. Derm® Silicone Scar Gel & Silicone Scar Sheet



Contracture burn scar,


1 month after the trauma



After 35 days using Scar Gel and Scar sheet

Keloid scar

Silicone Scar Gel




Keloid Scar, before treatment



8 month after treatment with Scar Gel

Facial trauma (Motorcycle Accident)

DG. Derm® Silicone Scar Gel & Silicone Scar Sheet



3 months after the motorcycle accident



5 months after the Scar Gel & Scar Sheet treatment

Foot injury

DG. Derm® Silicone Scar Gel & Silicone Scar Sheet



6 months after leg injury and not using any scar treatment



8 months of using Scar Gel and Scar Sheet in treatment regimen

Arm burn scar

• DG. Derm® Silicone Scar Gel & Silicone Scar Sheet




1 month after first-degree burn




After 2 months of treatment with Scar Gel and Scar Sheet

Hypertrophic scar

Silicone Scar Gel



Before starting silicone therapy




2


4 months after using Scar Gel 2-3 times a day

Cosmetic breast surgery

DG. Derm® Silicone Scar Gel & Silicone Scar Sheet




2 months after cosmetic breast surgery without any scar therapy



4 months after incorporating Scar Gel and Scar Sheets into the treatment regimen

Appendectomy scar

DG. Derm® Silicone Scar Gel & Silicone Scar Sheet




3 months after an appendectomy with keloid formation and no scar therapy



6 months after incorporating Scar Gel and Scar Sheets into the treatment regimen

C-section scar

• DG. Derm® Silicone Scar Gel & Silicone Scar Sheet



5 weeks after a C-section with visible scarring and no scar therapy



4 months after using scar gel and silicone sheets as part of the treatment regimen

Ordering Information

Add.: No. 3, Dena Building, Farhang Shahr St., Shiraz, Iran

Tel.: (+98 71) 91002930

Fax: (+98 71) 36302771

Email: info@dgdena.com



www.dgdena.com